

225. Gurney, M.E., Pu, H., Chiu, A.Y., Dal Canto, M.C., Polchow, C.Y., Alexander, D.D., Caliendo, J., Hentati, A., Kwon, Y.W., Deng, H.X., et al. Motor neuron degeneration in mice that express a human Cu,Zn superoxide dismutase mutation. *Science* **264** (1994) 1772–1775.
226. Zaidi, A., Khan, M.S. & Rizvi, P.Q. Effect of herbicides on growth, nodulation and nitrogen content of greengram. *Agron. Sustainable Development* **25** (2005) 497–504.
227. Su, L.Y., DelaCruz, A., Moore, P.H. & Maretzki, A. The relationship of glyphosate treatment to sugar metabolism in sugarcane: new physiological insights. *J. Plant Physiol.* **140** (1992) 168–173.
228. de María, N., Becerril, J.M., Garca-Plazaola, J.I., Hernandez, A., de Felipe, M.R. & Fernandez-Pascual, M. New insights on glyphosate mode of action in nodular metabolism: Role of shikimate accumulation. *J. Agric. Food Chem.* **54** (2006) 2621–2628.
229. Gomes da Silveira, J.A., Contado, J.L., Mazza Rodrigues, J.L. & Abreu de Oliveira, J.T. Phosphoenolpyruvate carboxylase and glutamine synthetase activities in relation to nitrogen fixation in cowpea nodules. *Revista Brasileira de Fisiologia Vegetal* **10** (1998) 19–23.
230. Chollet, R., Vidal, J. & O’Leary, M.H. Phosphoenolpyruvate carboxylase: A ubiquitous, highly regulated enzyme in plants. *A. Rev. Plant Physiol. Plant Mol. Biol.* **47** (1996) 273–298.
231. Xu, W., Ahmed, S., Moriyama, H. & Chollet, R. The importance of the strictly conserved, C-terminal glycine residue in phosphoenolpyruvate carboxylase for overall catalysis: mutagenesis and truncation of GLY-961 in the sorghum C4 leaf isoform. *J. Biol. Chem.* **281** (2006) 17238–17245.
232. Damin, V., Junqueira Franco, H.C., Ferreira Moraes, M., Franco, A.K. & Ocheuze Trivelin, P.C. Nitrogen loss in Brachiaria decumbens after application of glyphosate or glufoinate-ammonium. *Sci. Agric. (Piracicaba, Brazil)* **65** (2008) 402–407.
233. Minami, M., Ando, T., Hashikawa, S.N., Torii, K., Hasegawa, T., Israel, D.A., Ina, K., Kusugami, K., Goto, H. & Ohta, M. Effect of glycine on Helicobacter pylori in Vitro. *Antimicrob. Agents Chemother.* **48** (2004) 3782–3788.
234. Snell, E.E. & Guirard, B.M. Some interrelationships of pyridoxine, alanine, and glycine in their effect on certain lactic acid bacteria. *Proc. Natl Acad. Sci. USA* **39** (1943) 66–73.
235. Gordon, J., Hall, R.A. & Stickland, L.H. A comparison of the degree of lysis by glycine of normal and glycine-resistant organisms. *J. Pathol. Bacteriol.* **61** (1949) 581–585.
236. Hishinuma, F., Izaki, K. & Takahashi, H. Effects of glycine and D-amino acids on growth of various microorganisms. *Agric. Biol. Chem.* **33** (1969) 1577–1586.
237. Tezuka, T. & Ohnishi, Y. Two glycine riboswitches activate the glycine cleavage system essential for glycine detoxification in *Streptomyces griseus*. *J. Bacteriol.* **196** (2014) 1369–1376.
238. Strominger, J.L. & Birge, C.H. Nucleotide accumulation in *Staphylococcus aureus* by glycine. *J. Bacteriol.* **89** (1965) 1124–1127.
239. Hishinuma, F., Izaki, K. & Takahashi, H. Inhibition of L-alanine adding enzyme by glycine. *Agric. Biol. Chem.* **35** (1971) 2050–2058.
240. Kikuchi, G., Motokawa, Y., Yoshida, T. & Hiraga, K. Glycine cleavage system: reaction mechanism, physiological significance, and hyperglycinemia. *Proc. Jap. Acad. Ser. B Phys. Biol. Sci.* **84** (2008) 246–63.
241. Copp, A.J., Stanier, P. & Greene, N.D. Neural tube defects: recent advances, unsolved questions, and controversies. *Lancet Neurol.* **12** (2013) 799–810.
242. Greene, N.D. & Copp, A.J. Neural tube defects. *A. Rev. Neurosci.* **37** (2014) 221–242.
243. Pai, Y.J., Leung, K.Y., Savery, D., Hutchin, T., Prunty, H., Heales, S., Brosnan, M.E., Brosnan, J.T., Copp, A.J. & Greene, N.D. Glycine decarboxylase deficiency causes neural tube defects and features of non-ketotic hyperglycinemia in mice. *Nature Commun.* **6** (2015) 6388.
244. Mandal, M., Lee, M., Barrick, J.E., Weinberg, Z., Emilsson, G.M., Ruzzo, W.L. & Breaker, R.R. A glycine-dependent riboswitch that uses cooperative binding to control gene expression. *Science* **306** (2004) 275–279.
245. Wiesner, J. & Vilcinskas, A. Antimicrobial peptides. The ancient arm of the human immune system. *Virulence* **1** (2010) 440–464.
246. Zasloff, M. Antimicrobial peptides of multicellular organisms. *Nature* **415** (2002) 389–395.
247. Zhao, L., Erickson, B., Wu, X., Zhan, C., Yuan, W., Li, X., Pazgier, M. & Lu, W. Invariant Gly residue is important for  $\alpha$ -defensin folding, dimerization, and function: A case study of the human neutrophil  $\alpha$ -defensin HNP1. *J. Biol. Chem.* **287** (2012) 18900–18912.
248. Hendriks, W.J.A.J. & Rafael Pulido, R. Protein tyrosine phosphatase variants in human hereditary disorders and disease susceptibilities. *Biochim. Biophys. Acta* **1832** (2013) 1673–1696.
249. Ip, Y.T. & Davis, R.J. Signal transduction by the c-Jun N-terminal kinase (JNK)—from inflammation to development. *Curr. Opinion Cell Biol.* **10** (1998) 205–219.
250. Manganaro, L., Lusic, M., Gutierrez, M.I., Cereseto, A. & Del Sal Mauro Giacca, G. Concerted action of cellular JNK and Pin1 restricts HIV-1 genome integration to activated CD4+ T lymphocytes. *Nature Med.* **16** (2010) 329–333.
251. Tsou, C.L. The role of active site flexibility in enzyme catalysis. *Biochemistry (Moscow)* **63** (1998) 253–258.
252. Alonso, A., Saxena, M., Williams, S. & Mustelin, T. Inhibitory role for dual specificity phosphatase VHR in T cell antigen receptor and CD28-induced Erk and Jnk activation. *J. Biol. Chem.* **276** (2001) 4766–4771.
253. Staheu, X.N., Kousidou, O.C., Roussidis, A.E., Tzanakakis, G.N. & Karamanos, N.K. Small tyrosine kinase inhibitors as key molecules in the expression of metalloproteinases by solid tumors. *Connective Tissue Res.* **49** (2008) 211–214.
254. Deybach, J.-C., Puy, H., Robréau, A.-M., Lamoril, J., Da Silva, V., Grandchamp, B. & Nordmann, Y. Mutations in the protoporphyrinogen oxidase gene in patients with variegate porphyria. *Hum. Molec. Genet.* **5** (1996) 407–410.
255. Casanova-González, M.J., Trapero-Marugán, M., Jones, E.A. & Moreno-Otero, R. Liver disease and erythropoietic protoporphyria: A concise review. *World J. Gastroenterol.* **16** (2010) 4526–4531.
256. Miller, M.J. Syntheses and therapeutic potential of hydroxamic acid based siderophores and analogues. *Chem. Rev.* **89** (1989) 1563–1579.

257. Köster, W. & Böhm, B. Point mutations in two conserved glycine residues within the integral membrane protein Fh affect iron(III) hydroxamate transport. *Molec. Gen. Genet.* **232** (1992) 399–407.
258. Miethke, M., Westers, H., Blom, E.-J., Kuipers, O.P. & Marahiel, M.A. Iron starvation triggers the stringent response and induces amino acid biosynthesis for bacillibactin production in *Bacillus subtilis*. *J. Bacteriol.* **188** (2006) 8655–8657.
259. Lieberthal, W. & Nigam, S.K. Acute renal failure. II. Experimental models of acute renal failure: imperfect but indispensable. *Am. J. Physiol. Renal Physiol.* **278** (2000) F1–F12.
260. Bonventre, J.V. Dedifferentiation and proliferation of surviving epithelial cells in acute renal failure. *J. Am. Soc. Nephrol.* **14** (Suppl. 1) (2003) S55–S61.
261. Schrier, R.W., Wang, W., Poole, B. & Mitra, A. Acute renal failure: definitions, diagnosis, pathogenesis, and therapy. *J. Clin. Investigation* **114** (2004) 5–14.
262. Jayasumana, C., Gunatilake, S. & Senanayake, P. Glyphosate, hard water and nephrotoxic metals: Are they the culprits behind the epidemic of chronic kidney disease of unknown etiology in Sri Lanka? *Int'l J. Environ. Res. Public Health* **11** (2014) 2125–2147.
263. Mori, K., Lee, H.T., Rapoport, D., Drexler, I.R., Foster, K., Yang, J., Schmidt-Ott, K.M., Chen, X., Li, J.Y., Weiss, S., Mishra, J., Cheema, F.H., Markowitz, G., Suganami, T., Sawai, K., Mukoyama, M., Kunis, C., d'Agati, V., Devarajan, P. & Barasch, J. Endocytic delivery of lipocalin-siderophore-iron complex rescues the kidney from ischaemareperfusion injury. *J. Clin. Investigation* **115** (2005) 610–621.
264. Halliwell, B. & Gutteridge, J.M. Role of free radicals and catalytic metal ions in human disease: an overview. *Methods Enzymol.* **186** (1990) 1–85.
265. McCord, J.M. Oxygen-derived free radicals in postischemic tissue injury. *N. Engl. J. Med.* **312** (1985) 159–163.
266. Meneghini, R. Iron homeostasis, oxidative stress, and DNA damage. *Free Radical Biol. Med.* **23** (1997) 783–792.
267. Rangachari, K., Jeyalakmi, J., Eswari Pandaranayaka, P.J., Prasanthi, N., Sundaresan, P., Krishnadas, S.R. & Krishnaswamy, S. Significance of G-X-W motif in the myocilin olfactomedin domain. *J. Ocular Biol. Dis. Informatics* **4** (2011) 154–158.
268. Lozoff, B. & Georgieff, M.K. Iron deficiency and brain development. *Seminars Pediatr. Neurol.* **13** (2006) 158–165.
269. McClung, J.P. & Karl, J.P. Iron deficiency and obesity: the contribution of inflammation and diminished iron absorption. *Nutrition Reviews* **67** (2009) 100–104.
270. Ostberg, K.L., DeRocco, A.J., Mistry, S.D., Dickinson, M.K. & Cornelissen, C.N. Conserved regions of gonococcal TbpB are critical for surface exposure and transferrin iron utilization. *Infect. Immun.* **81** (2013) 3442–3450.
271. Yasuda, E., Ebinuma, H. & Wabiko, H. A novel glycine-rich/hydrophobic 16 kDa polypeptide gene from tobacco: similarity to proline-rich protein genes and its woundinducible and developmentally regulated expression. *Plant Molec. Biol.* **33** (1997) 667–678.
272. Wilson, K.A., Bär, S., Maerz, A.L., Alizon, M. & Poumbourios, P. The conserved glycine-rich segment linking the N-terminal fusion peptide to the coiled coil of human Tcell leukemia virus type 1 transmembrane glycoprotein gp21 is a determinant of membrane fusion function. *J. Virol.* **79** (2005) 4533–4539.
273. Hietanen, E., Linnainmaa, K. & Vainio, H. Effects of phenoxyherbicides and glyphosate on the hepatic and intestinal biotransformation activities in the rat. *Acta Pharmacol. Toxicol. (Copenhagen)* **53** (1983) 103–112.
274. Gonzalez, F.J. The molecular biology of cytochrome P450. *Pharmacol. Rev.* **40** (1989) 243–288.
275. Yamazaki, S., Sato, K., Suhara, K., Sakaguchi, M., Michara, K. & Omura, T. Importance of the proline-rich region following signal-anchor sequence in the formation of correct conformation of microsomal cytochrome P-450s. *J. Biochem.* **114** (1993) 652–657.
276. Chen, C.D. & Kemper, B. Different structural requirements at specific proline rich residue positions in the conserved proline-rich region of cytochrome P4502C2. *J. Biol. Chem.* **271** (1996) 28607–28611.
277. Stoilov, I., Akarsu, A.N., Alozie, I., Child, A., Barsoum-Homsy, M., Turaci, M.E., Or, M., Lewis, R.A., Ozdemir, N., Brice, G., Aktan, S.G., Chevrette, L., Coca-Prados, M. & Sarfarazi, M. Sequence analysis and homology modeling suggest that primary congenital glaucoma on 2p21 results from mutations disrupting either the hinge region or the conserved core structures of cytochrome P4501B1. *Am. J. Hum. Genet.* **62** (1998) 573–584.
278. Bejjani, B.A., Lewis, R.A., Tomey, K.F., Anderson, K.L., Dueker, D.K., Jabak, M., Astle, W.F., Otterud, B., Leppert, M. & Lupski, J.R. Mutations in CYP1B1, the gene for cytochrome P4501B1, are the predominant cause of primary congenital glaucoma in Saudi Arabia. *Am. J. Hum. Genet.* **62** (1998) 325–333.
279. Shoulders, M.D. & Raines, R.T. Collagen structure and stability. *A. Rev. Biochem.* **78** (2009) 929–958.
280. Pace, J.M., Atkinson, M., Willing, M.C., Wallis, G. & Byers, P.H. Deletions and duplications of Gly-Xaa-Yaa triplet repeats in the triple helical domains of type I collagen chains disrupt helix formation and result in several types of osteogenesis imperfecta. *Hum. Mutation* **18** (2001) 319–326.
281. Beck, K., Chan, V.C., Shenoy, N., Kirkpatrick, A., Ramshaw, J.A.M. & Brodsky, B. Destabilization of osteogenesis imperfecta collagen-like model peptides correlates with the identity of the residue replacing glycine. *Proc. Natl Acad. Sci. USA* **97** (2000) 4273–4278.
282. Bodian, D.L., Madhan, B., Brodsky, B. & Klein, T.E. Predicting the clinical lethality of osteogenesis imperfecta from collagen glycine mutations. *Biochemistry* **47** (2008) 5424–5432.
283. Nuytinck, L., Tükel, T., Kayserili, H., Apak, M.Y. & De Paepe, A. Glycine to tryptophan substitution in type I collagen in a patient with OI type III: a unique collagen mutation. *J. Med. Genet.* **37** (2000) 371–375.
284. Marini, J.C., Forlino, A., Cabral, W.A., Barnes, A.M., San Antonio, J.D., Milgrom, S., Hyland, J.C., Körkkö, J., Prockop, D.J., De Paepe, A., Coucke, P., Symoens, S., Glorieux, F.H., Roughley, P.J., Lund, A.M., Kuurila-Svahn, K., Hartikka, H., Cohn, D.H., Krakow D., Mottes, M., Schwarze, U., Chen, D., Yang, K., Kuslich, C., Troendle, J., Dalgleish, R. & Byers, P.H. Consortium for osteogenesis

- imperfecta mutations in the helical domain of type I collagen: regions rich in lethal mutations align with collagen binding sites for integrins and proteoglycans. *Hum. Mutation* **28** (2007) 209–221.
285. Gill, J.R., Goldfeder, L.B., Armburstmacher, V., Coleman, A., Mena, H. & Hirsch, C.S. Fatal head injury in children younger than 2 years in New York City and an overview of the shaken baby syndrome. *Arch. Pathol. Lab. Med.* **133** (2009) 619–627.
286. Hamdy, R.C. Osteoporosis, the deafening silent epidemic. *South Med. J.* **95**(6) (2002) 567–568.
287. Keen, R.W. Burden of osteoporosis and fractures. *Curr. Osteoporosis Rep.* **1** (2003) 66–70.
288. Schinasi, L., Leon, M.E. Non-Hodgkin lymphoma and occupational exposure to agricultural pesticide chemical groups and active ingredients: a systematic review and metaanalysis. *Intl J. Environ Res. Publ. Health* **11** (2014) 4449–4527.
289. Eriksson, M., Hardell, L., Carlberg, M. & Akerman, M. Pesticide exposure as risk factor for non-Hodgkin lymphoma including histopathological subgroup analysis. *Intl J. Cancer* **123** (2008) 1657–1663.
290. Freedman, A.S., Munro, J.M., Morimoto, C., McIntyre, B.W., Rhynhart, K., Lee, N. & Nadler, L.M. Follicular non-Hodgkin's lymphoma cell adhesion to normal germinal centers and neoplastic follicles involves very late antigen-4 and vascular cell adhesion molecule-1. *Blood* **79** (1992) 206–212.
291. Arroyo, A.G., Yang, J.T., Rayburn, H. & Hynes, R.O. Alpha4 integrins regulate the proliferation/differentiation balance of multilineage hematopoietic progenitors in vivo. *Immunity* **11** (1999) 555–566.
292. Guerrero-Esteo, M., Ruiz-Velasco, N., Muñoz, M. & Teixidó, J. Role of two conserved glycine residues in the beta-propeller domain of the integrin alpha4 subunit in VLA-4 conformation and function. *FEBS Lett.* **429** (1998) 123–128.
293. Poulsen, M.S., Rytting, E., Mose, T. & Knudsen, L.E. Modeling placental transport: correlation of in vitro BeWo cell permeability and ex vivo human placental perfusion. *Toxicol. in Vitro* **23** (2009) 1380–1386.
294. Campana, H., Pawluk, M.S. & Lopez Camelio, J.S. [Birth prevalence of 27 selected congenital anomalies in 7 geographic regions of Argentina]. *Arch. Argent. Pediatr.* **108** (2010) 409–417.
295. Benitez Leite, S., Macchi, M.A. & Acosta, M. Malformaciones Congénitas asociadas a agrotoxicos. *Arch. Pediatr. Drug* **80** (2009) 237–247.
296. Person, A., Spitters, C., Patrick, G., Wasserman, C., Vander Kelen, P., Van Eenwyk, J., Gilboa, S., Kucik, J., Sorenson, R., Ailes, E. & Stahre, M. Notes from the field: Investigation of a cluster of neural tube defects—Central Washington, 2010–2013. *Morbidity Mortality Weekly Rep. (MMWR)* **62** (2013) 728–728.
297. Roy, N.M., Carneiro, B. & Ochs, J. Glyphosate induces neurotoxicity in zebrafish. *Environ. Toxicol. Pharmacol.* (2016); In Press. doi:10.1016/j.etap.2016.01.003.
298. Adachi, Y., Mochida, G., Walsh, C. & Barkovich, J. Posterior fossa in primary microcephaly: relationships between forebrain and mid-hindbrain size in 110 patients. *Neuropediatrics* **45** (2014) 93–101.
299. Paganelli, A., Gnazzo, V., Acosta, H., López, S.L. & Carrasco, A.E. Glyphosate-based herbicides produce teratogenic effects on vertebrates by impairing retinoic acid signaling. *Chem. Res. Toxicol.* **23** (2010) 1586–1595.
300. Shen, J., Gilmore, E.C., Marshall, C.A., Haddadin, M., Reynolds, J.J., Eyaid, W., Bodell, A., Barry, B., Gleason, D., Allen, K., Ganesh, V.S., Chang, B.S., Grixt, A., Hill, R.S., Topcu, M., Caldecott, K.W., Barkovich, A.J. & Walsh, C.A. Mutations in PNKP cause microcephaly, seizures and defects in DNA repair. *Nature Genet.* **42** (2010) 245–249.
301. Reynolds, J.J., Walker, A.K., Gilmore, E.C., Walsh, C.A. & Caldecott, K.W. Impact of PNKP mutations associated with microcephaly, seizures and developmental delay on enzyme activity and DNA strand break repair. *Nucl. Acids Res.* **40**(14) (2012) 6608–6619.
302. Narisawa, A., Komatsuzaki, S., Kikuchi, A., Niihori, T., Aoki, Y., Fujiwara, K., Tanemura, M., Hata, A., Suzuki, Y., Relton, C.L., Grinham, J., Leung, K.Y., Partridge, D., Robinson, A., Stone, V., Gustavsson, P., Stanier, P., Copp, A.J., Greene, N.D., Tominaga, T., Matsubara, Y. & Kure, S. Mutations in genes encoding the glycine cleavage system predispose to neural tube defects in mice and humans. *Hum. Molec. Genet.* **21** (2012) 1496–1503.
303. Crider, K.S., Bailey, L.B. & Berry, R.J. Folic acid food fortification—its history, effect, concerns, and future directions. *Nutrients* **3** (2011) 370–384.
304. Holländer, H. & Amrhein, N. The site of the inhibition of the shikimate pathway by glyphosate I. Inhibition by glyphosate of phenylpropanoid synthesis in buckwheat (*Fagopyrum esculentum moench*). *Plant Physiol.* **66** (1980) 823–829.
305. Hartzell, S. & Seneff, S. Impaired sulfate metabolism and epigenetics: Is there a link in autism? *Entropy* **14** (2012) 1953–1977.
306. James, S.J., Cutler, P., Melnyk, S., Jernigan, S., Janak, L., Gaylor, D.W. & Neubrander, J.A. Metabolic biomarkers of increased oxidative stress and impaired methylation capacity in children with autism. *Am. J. Clin. Nutr.* **80** (2004) 1611–1617.
307. Kume, A., Koyata, H., Sakakibara, T., Ishiguro, Y., Kure, S. & Hiraga, K. The glycine cleavage system: Molecular cloning of the chicken and human glycine decarboxylase cDNAs and some characteristics involved in the deduced protein structures. *J. Biol. Chem.* **266** (1991) 3323–3329.
308. Gilmore, J.H., Smith, L.C., Wolfe, H.M., Hertzberg, B.S., Smith, J.K., Chescheir, N.C., Evans, D.D., Kang, C., Hamer, R.M., Lin, W. & Gerig, G. Prenatal mild ventriculomegaly predicts abnormal development of the neonatal brain. *Biol. Psychiat.* **64** (2008) 1069–1076.
309. Bonilha, L., Cendes, F., Rorden, C., Eckert, M., Dalgalarroondo, P., Li, L.M. & Steiner, C.E. Gray and white matter imbalance—typical structural abnormality underlying classic autism? *Brain Dev.* **30** (2008) 396–401.
310. Yu, T.W., Chahrour, M.H., Coulter, M.E., Jiralerspong, S., Okamura-Ikeda, K., Ataman, B., Schmitz-Abe, K., Harmin, D.A., Adli, M., Malik, A.N., D'Gama, A.M., Lim, E.T., Sanders, S.J., Mochida, G.H., Partlow, J.N., Sunu, C.M., Felie JM, Rodriguez, J., Nasir, R.H., Ware, J., Joseph, R.M., Hill, R.S., Kwan, B.Y., Al-Saffar, M., Mukaddes, N.M., Hashmi, A., Balkhy, S., Gascon, G.G., Hisama, F.M., LeClair, E., Poduri, A., Oner, O., Al-Saad, S., Al-Awadi, S.A., Bastaki, L., Ben-Omran, T., Teebi, A.S., Al-Gazali, L., Eapen,

- V., Stevens, C.R., Rappaport, L., Gabriel, S.B., Markianos, K., State, M.W., Greenberg, M.E., Taniguchi, H., Braverman, N.E., Morrow, E.M. & Walsh, C.A. Using whole-exome sequencing to identify inherited causes of autism. *Neuron* **77** (2013) 259–273.
311. Kure, S., Kato, K., Dinopoulos, A., Gail, C., DeGrauw, T.J., Christodoulou, J., Bzduch, V., Kalmanchey, R., Fekete, G., Trojovsky, A., Plecko, B., Breningstall, G., Tohyama, J., Aoki, Y. & Matsubara, Y. Comprehensive mutation analysis of GLDC, AMT, and GCSH in nonketotic hyperglycinemia. *Hum. Mutation* **27** (2006) 343–352.
312. Lin, F.Y., Gascon, G.G., Hyland, K., Chugani, H. & Chugani, D. Transient nonketotic hyperglycinemia and defective serotonin metabolism in a child with neonatal seizures. *J. Child Neurol.* **21** (2006) 900–903.
313. Grishin, N.V., Phillips, M.A. & Goldsmith, E.J. Modeling of the spatial structure of eukaryotic ornithine decarboxylases. *Protein Sci.* **4** (1995) 1291–1304.
314. Pendeville, H., Carpino, N., Marine, J.C., Takahashi, Y., Muller, M., Martial, J.A. & Cleveland, J.L. The ornithine decarboxylase gene is essential for cell survival during early murine development. *Molec. Cell. Biol.* **21** (2001) 654958.
315. Tuchman, R. & Rapin, I. Epilepsy in autism. *Lancet Neurol.* **1** (2002) 352358.
316. Herberg, L.J., Rose, I.C., de Belleroche, J.S. & Mintz, M. Ornithine decarboxylase induction and polyamine synthesis in the kindling of seizures: the effect of alpha-difluoromethylornithine. *Epilepsy Res.* **11** (1992) 37.
317. Islam, M.I., Hoque, S.K., Islam, M.T., Saha N.C., Matin, A., Rahman, A.A. & Saleh, A.S.M. Vanishing white matter disease: A case report. *Bangladesh J. Child Health* **35** (2011) 127–129.
318. van der Knaap, M.S., van Berkel, C.G., Herms, J., van Coster, R., Baethmann, M., Naidu, S., Boltshauser, E., Willemsen, M.A., Plecko, B., Hoffmann, G.F., Proud, C.G., Schepers, G.C. & Pronk, J.C. eIF2B related disorders: antenatal onset and involvement of multiple organs. *Am. J. Hum. Genet.* **73** (2003) 1199–1207.
319. Vermeulen, G., Seidl, R., Mercimek-Mahmutoglu, S., Rotteveel, J.J., Schepers, G.C. & van der Knaap, M.S. Fright is a provoking factor in vanishing white matter disease. *Ann. Neurol.* **57** (2005) 560–563.
320. Kirsch, J. & Betz, H. Glycine-receptor activation is required for receptor clustering in spinal neurons. *Nature* **392** (1998) 717–720.
321. Lynch, J.W. Molecular structure and function of the glycine receptor chloride channel. *Physiol. Rev.* **84** (2004) 1051–1095.
322. Atak, S., Langhofer, G., Schaefer, N., Kessler, D., Meiselbach, H., Delto, C., Schindelin, H. & Villmann, C. Disturbances of ligand potency and enhanced degradation of the human glycine receptor at affected positions G160 and T162 originally identified in patients suffering from hyperekplexia. *Frontiers Molec. Neurosci.* **8** (2015) 79.
323. Vandenberg, R.J., French, C.R., Barry, P.H., Shine, J. & Schofield, P.R. Antagonism of ligand-gated ion channel receptors: Two domains of the glycine receptor  $\alpha$  subunit form the strychnine-binding site. *Proc. Natl Acad. Sci. USA* **89** (1992) 1765–1769.
324. Coullery, R.P., Ferrari, M.E. & Rosso, S.B. Neuronal development and axon growth are altered by glyphosate through a WNT non-canonical signaling pathway. *Neurotoxicology* **52** (2015) 150–161.
325. Yilmaz, M., Gangopadhyay, S.S., Leavis, P., Grabarek, Z. & Morgan, K.G. Phosphorylation at Ser26 in the ATP-binding site of  $\text{Ca}^{2+}$ /calmodulin-dependent kinase II as a mechanism for switching off the kinase activity. *Biosci. Rep.* **33** (2013) e00024.
326. Iacono, K.T., Brown, A.L., Greene, M.I. & Saouaf, S.J. CD147 immunoglobulin superfamily receptor function and role in pathology. *Exp. Molec. Pathol.* **83** (2007) 283–295.
327. Zhou, S., Zhou, H., Walian, P.J. & Jap, B.K. CD147 is a regulatory subunit of the gamma-secretase complex in Alzheimer's disease amyloid beta-peptide production. *Proc. Natl Acad. Sci. USA* **102** (2005) 7499–7504.
328. Naruhashi, K., Kadomatsu, K., Igakura, T., Fan, Q.W., Kuno, N., Muramatsu, H., Miyauchi, T., Hasegawa, T., Itoh, A., Muramatsu, T. & Nabeshima, T. Abnormalities of sensory and memory functions in mice lacking Bsg gene. *Biochem. Biophys. Res. Commun.* **236** (1997) 733–737.
329. Igakura, T., Kadomatsu, K., Kaname, T., Muramatsu, H., Fan, Q.W., Miyauchi, T., Toyama, Y., Kuno, N., Yuasa, S., Takahashi, M., Senda, T., Taguchi, O., Yamamura, K., Arimura, K. & Muramatsu, T. A null mutation in basigin, an immunoglobulin superfamily member, indicates its important roles in peri-implantation development and spermatogenesis. *Devl Biol.* **194** (1998) 152–165.
330. Lu, W., Li, L., Chen, M., Zhou, Z., Zhang, W., Ping, S., Yan, Y., Wang, J. & Lin, M. Genome-wide transcriptional responses of Escherichia coli to glyphosate, a potent inhibitor of the shikimate pathway enzyme 5-enolpyruvylshikimate-3-phosphate synthase. *Molec. BioSyst.* **9** (2013) 522–530. Supplementary Table S2: Functional description of genes downregulated in response to glyphosate shock.
331. Deyrup, A.T., Krishnan, S., Cockburn, B.N. & Schwartz, N.B. Deletion and site-directed mutagenesis of the ATP-binding motif (p-loop) in the bifunctional murine ATPsulfurylase/adenosine 5'-phosphosulfate kinase enzyme. *J. Biol. Chem.* **273** (1998) 9450–9456.
332. van den Boom, J., Heider, D., Martin, S.R., Pastore, A. & Mueller, J.W. 3-Phosphoadenosine 5-phosphosulfate (PAPS) synthases, naturally fragile enzymes specifically stabilized by nucleotide binding. *J. Biol. Chem.* **287** (2012) 17645–17655.
333. Therien, A.G. & Deber, C.M. Oligomerization of a peptide derived from the transmembrane region of the sodium pump gamma subunit: effect of the pathological mutation G41R. *J. Molec. Biol.* **322** (2002) 583–550.
334. Konrad, M. & Schlingmann, K.P. Inherited disorders of renal hypomagnesemia. *Nephrol. Dialysis Transplantation* **29** (2014) iv63–iv71.
335. Nassi, P., Nediani, C., Fiorillo, C., Marchetti, E., Liguri, G. & Ramponi, G. Modifications induced by acylphosphatase in the functional properties of heart sarcolemma  $\text{Na}^+/\text{K}^+$  pump. *FEBS Lett.* **337** (1994) 109–113.
336. Nediani, C., Celli, A., Formigli, L., Perna, A.M., Fiorillo, C., Ponziani, V., Ibbà- Manneschi, L., Zecchi-Orlandini, S., Nosi, D., Liguri, G., Modesti, P.A. & Nassi, P. Possible role of acylphosphatase, Bcl-2 and Fas/Fas-L system in the early changes of cardiac remodeling induced by volume overload. *Biochim. Biophys. Acta* **1638** (2003) 217–226.
337. Dongre, M., Singh, N.S., Dureja, C., Peddada, N., Solanki,

- A.K., Ashish & Raychaudhuri, S. Evidence on How a Conserved Glycine in the Hinge Region of HapR Regulates Its DNA Binding Ability. Lessons from a natural variant. *J. Biol. Chem.* **286** (2011) 15043–15049.
338. Beach, M.J. & Rodwell, V.W. Cloning, sequencing, and overexpression of *mvaA*, which encodes *Pseudomonas mevalonii* 3-hydroxy-3-methylglutaryl coenzyme A reductase. *J. Bacteriol.* **171** (1989) 2994–3001.
339. Liang, C. & Needham, M. Necrotizing autoimmune myopathy. *Curr. Opin. Rheumatol.* **23** (2011) 612–619.
340. Hack, R., Ebert, E., Ehling, G. & Leist, K.-H. Glufosinate ammonium—Some aspects of its mode of action in mammals. *Food Chem. Toxicol.* **32** (1994) 461–470.
341. Watanabe, T. & Iwase, T. Developmental and dysmorphicogenic effects of glufosinate ammonium on mouse embryos in culture. *Teratog. Carcinog. Mutagen.* **16** (1996) 287–299.
342. Fujii, T., Ohata, T. & Horinaka, M. Alternations in the response to kainic acid in rats exposed to glufosinate-ammonium, a herbicide, during infantile period. *Proc. Jap. Acad. Ser. B Phys. Biol. Sci.* **72** (1996) 7–10.
343. Laugeray, A., Herzine, A., Perche, O., Hébert, B., Aguillon-Naury, M., Richard, O., Menuet, A., Mazaud-Guittot, S., Lesné, L., Briault, S., Jegou, B., Pichon, J., Montécot-Dubourg, C. & Mortaud, S. Pre- and postnatal exposure to low dose glufosinate ammonium induces autism-like phenotypes in mice. *Frontiers Behavioral Neurosci.* **8** (2014) 390.
344. Yang, P. & Chang, C.L. Glutamate-mediated signaling and autism spectrum disorders: emerging treatment targets. *Curr. Pharmaceutical Design* **20** (2014) 5186–5193.
345. Ruzzo, E.K., Capo-Chichi, J.M., Ben-Zeef, B., Chitayat, D., Mao, H., Pappas, A.L., Hitomi, Y., Lu, Y.F., Yao, X., Hamdan, F.F., Pelak, K., Reznik-Wolf, H., Bar-Joseph, I., Oz-Levi, D., Lev, D., Lerman-Sagie, T., Leshinsky-Silver, E., Anikster, Y., Ben-Asher, E., Olender, T., Colleaux, L., Décarie, J.C., Blaser, S., Banwell, B., Joshi, R.B., He, X.P., Patry, L., Silver, R.J., Dobrzeniecka, S., Islam, M.S., Hasnat, A., Samuels, M.E., Aryal, D.K., Rodriguez, R.M., Jiang, Y.H., Wetsel, W.C., McNamara, J.O., Rouleau, G.A., Silver, D.L., Lancet, D., Pras, E., Mitchell, G.A., Michaud, J.L. & Goldstein, D.B. Deficiency of asparagine synthetase causes congenital microcephaly and a progressive form of encephalopathy. *Neuron* **80** (2013) 429–441.
346. Meyer, M.E., Gutierrez, J.A., Raushel, F.M. & Richards, N.G. A conserved glutamate controls the commitment to acyladenylate formation in asparagine synthetase. *Biochemistry* **49** (2010) 9391–9401.
347. Yool, A.J. Dominant-negative suppression of big brain ion channel activity by mutation of a conserved glutamate in the first transmembrane domain. *Gene Expression* **13** (2007) 329–337.
348. Männikkö, R., Flanagan, S.E., Sim, X., Segal, D., Hussain, K., Ellard, S., Hattersley, A.T. & Ashcroft, F.M. Mutations of the same conserved glutamate residue in NBD2 of the sulfonylurea receptor 1 subunit of the KATP channel can result in either hyperinsulinism or neonatal diabetes. *Diabetes* **60** (2011) 1813–1822.
349. Polak, M. & Cavé, H. Neonatal diabetes mellitus: A disease linked to multiple mechanisms. *Orphanet J. Rare Dis.* **2** (2007) 12.
350. Larsson, H.P. & Elinder, F. A conserved glutamate is important for slow inactivation in K<sup>+</sup> channels. *Neuron* **27** (2000) 573–583.
351. Hanson, P.J. & Whiteheart, S.W. AAA+ proteins: have engine, will work. *Nature Rev. Molec. Cell Biol.* **6** (2005) 519–529.
352. Chiraniya, A., Finkelstein, J., O'Donnell, M. & Bloom, L.B. A novel function for the conserved glutamate residue in the Walker B motif of replication factor C. *Genes* **4** (2013) 134–151.
353. Narayanan, A.S., Page, R.C. & Swanson, J. Collagen synthesis by human fibroblasts. Regulation by transforming growth factor-β in the presence of other inflammatory mediators. *Biochem. J.* **260** (1989) 463–469.